



S&I Entertainment LTD
Company nr. 10754750
T/A Fun 4 U Bouncy Castles;
www.fun4ubouncycastleles.co.uk
m: 075 149 149 77

Fun 4 U Bouncy Castles Risk Assessment – Inflatable Gladiator Duel

| Hazard Area | Risk | Existing Controls | Likelihood 1-5 | Severity 1-5 | Risk Score L * S | Futher Action to take |
|----------------|--|--|--------------------|--------------------|---------------------|--|
| Gladiator Duel | Users falling from podium during activity | Ensure inflatable bed is fully inflated and covers entire fall off area | 2 | 1 | 2 | None |
| Gladiator Duel | Users getting hurt from blows by other participant | Ensure all users wear safety equipment provided | 5 | 1 | 5 | None |
| Gladiator Duel | Falling from inflatable bed | Safety mats placed by and around entrance/exit | 5 | 1 | 5 | Only the two participants that are duelling are permitted to enter the duelling area at any one time |
| Gladiator Duel | Over enthusiastic participants | Responsible person supervising at all times. Rocking from side to side is NOT PERMITTED UNDER ANY CIRCUMSTANCES. | 2 | 1 | 2 | In the event of large numbers of participants trained operators will be supplied with the inflatable to aid with large numbers. |
| Gladiator Duel | Danger of unnecessary injury. | anyone who is feeling unwell or suffering the effects of alcohol or drugs & Pregnant women may NOT use any equipment at anytime. | 1 | 5 | 5 | None |
| Gladiator Duel | Overloading or Tipping over | No user weighing over 90kg or 14 stone is permitted to us the equipment at any time. | 1 | 5 | 5 | None |
| Gladiator Duel | Larger participants colliding with smaller participants | Responsible person supervising at all times. | 1 | 1 | 1 | Participants put in to groups of similar size |
| Gladiator Duel | Adverse weather conditions. | The item will be switched off in heavy rain and is not permitted to run in strong winds as both these conditions can be deemed a health and safety risk. | Depends of weather | Depends of weather | Depends of weather | None |
| Gladiator Duel | Danger of injury from hard surfaces. | The inflatable must never be mounted unless the inflatable bed is fully inflated whether the inflatable is in operation or not as this can lead to serious injury. | 1 | 4 | 4 | None |
| Gladiator Duel | Injury through lack of supervision. | A fully trained operator must be present with he bull at all times, in the event that the operator is not in view Do Not enter the any circumstances. | 1 | 5 | 5 | None |
| Gladiator Duel | Tripping over anchorage points, spare equipment, electrical cables | Anchor points used as per manufacturers instructions and spare equipment erected safely or stowed away. Where possible electrical cable does not cross any public pathway. | 1 | 1 | 1 | In the event of large numbers of participants attending or large events, additional safety fencing is erected, electrical cables will be erected overhead or covered and |
| Gladiator Duel | Injury through incorrect positioning | Do not move or try to reposition the inflatable under any circumstances and ensure that the anchors are in place at all times. | 1 | 2 | 2 | None |
| Gladiator Duel | Petrol Blower, Generator Risk of fire | Blowers/generators filled with fuel before delivery, units are fire retardant. | 3 | 1 | 3 | All spare fuel is stored in suitable marked container, and in a safe location, units switched off during re fuelling |
| Gladiator Duel | Choking | No food drinks or chewing gum to be allowed on or near the Inflatable. | 1 | 4 | 4 | None |
| Gladiator Duel | Injury through 3rd party items & 3 rd part bodies. | All shoes, glasses, jewellery, badges MUST be removed before using this Inflatable. Always ensure that the area surrounding the inflatable is not overcrowded. | 1 | 5 | 5 | None |
| Gladiator Duel | Danger of fire. | No smoking or barbecues near the Inflatable at any time. | 1 | 5 | 5 | None |
| Gladiator Duel | Danger of falling from height. | Climbing, hanging or sitting on walls is DANGEROUS and must not be allowed at any time, All our beds have low walls for supervision purposes, this rule is exceptionally important when the inflatable is erected on hard surfaces | 1 | 3 | 3 | None |
| Gladiator Duel | Injury through lack of inflatable pressure or suffocation. | Do not allow anyone to be on the Inflatable during inflation or deflation as this can be EXTREMELY DANGEROUS. | 1 | 2 | 2 | None |
| Gladiator Duel | Injury through bouncing out of the inflatable ring. | Ensure that an area of 6 feet (2 meters) around the unit is completely clear and ensure the area in which the castle is to be erected is completely swept of debris, before our arrival if possible | 1 | 3 | 3 | None |
| Gladiator Duel | Emergency | In the event that someone is seriously injured, DO NOT move the individual, leave the inflatable switched on and dial 999 immediately. | n/a | n/a | n/a | None |

L=Likelihood S=Severity L*S= Risk 1=Low 5=High

Risk is worked out using numbers 1 - 5. The likelihood is given a number and this is multiplied by the number given to the severity of the risk

The result = the risk factor. This generic risk assessment is brief and we have our own individual assessments for each individual risk, 25 being the worst possible outcome, any item reaching 25 would give serious cause for concern & we would not be able to erect the unit. It is recommended that clients undertake their own risk assessment to suit their requirements.